

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	21	L1 and configur\$5 near5 (query\$3 poll\$5) near5 (file gui database) near6 (duration interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:53
L15	0	L1 and configur\$5 adj5 (query\$3 poll\$5) adj5 (file) near6 (duration interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:53
L14	174	L1 and configur\$5 near5 (query\$3 poll\$5) near5 (file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:52
L13	654	L1 and configur\$5 near5 (query\$3 poll\$5) near5 (file gui database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:51
L12	76	(monitor\$3 manag\$3 acquir\$4 obtain\$3 query\$3 poll\$3) near5 (node device) near10 (hardware) near10 component and L11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:16

L11	25012	709/217,223,224,229,243,244,219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:16
L10	18	(monitor\$3 manag\$3 acquir\$4 obtain\$3 query\$3 poll\$3) near5 (node device) near10 (hardware) near10 component and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:16
L9	30570	707/1,2,3,4,5,6,7,8,9,10.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:16
L8	1	(monitor\$3 manag\$3 acquir\$4 obtain\$3 query\$3 poll\$3) near5 (node device) near10 (hardware) near10 component and l6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:15
L7	646	(monitor\$3 manag\$3 acquir\$4 obtain\$3 query\$3 poll\$3) near5 (node device) near10 (hardware) near10 component	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:15

L6	987	710/17,18,19.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:14
L5	1	"6044411".pn. and l3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:08
L4	2	"6044411".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 08:08
L3	58	(monitor\$3 manag\$3 acquir\$4 obtain\$3 query\$3 poll\$3) near5 hardware near8 network with poll\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 07:56
L2	2409	(monitor\$3 manag\$3 acquir\$4 obtain\$3 query\$3 poll\$3) near5 hardware near8 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 07:54

L1	179385	(monitor\$3 manag\$3 acquir\$4 obtain\$3 query\$3 poll\$3) near5 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 07:51
S209	328	(remot\$5) same poll\$3 near5 (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 14:14
S208	5	(chassis) same poll\$3 near5 (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 13:58
S207	0	(chassis) same poll\$3 near5 (duration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 13:57
S206	117	(chassis rack) same (hardware slot shelf shelves) same (monitor\$3 manag\$3 acquir\$4 obtain\$3 query\$3 poll\$3) same (duration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 10:52

S205	287	(chassis) same (monitor\$3 manag\$3 acquir\$4 obtain\$3 query\$3 poll\$3) same (duration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 10:51
S204	0	(chassis) same (monitor\$3 manag\$3 acquir\$4 obtain\$3 query\$3 poll\$3) same poll\$3 near5 (duration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 10:51
S203	2	"5315580".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 10:48
S202	69	(Rack node shelf node element) same monitor\$5 same hardware same (parameter characteristic measurement) and S200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 10:28
S201	9	(Rack node shelf node element) same monitor\$5 same hardware same (parameter characteristic measurement) and S199	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 10:27

S200	24961	709/217,223,224,229,243,244,219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 10:25
S199	30514	707/1,2,3,4,5,6,7,8,9,10.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/21 10:23
S198	2	(rack) same (monitor\$3 manag\$3 acquir\$4 obtain \$3 query\$3 poll\$3) same poll\$3 near5 (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:22
S197	5	(chassis) same (monitor\$3 manag\$3 acquir\$4 obtain\$3 query\$3 poll\$3) same poll\$3 near5 (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:10
S196	1	(chassis) same (propert\$5 characteristic parameter) same poll\$3 near5 (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:52

S195	14	(chassis) near5 component same (properl\$5 characteristic parameter) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:51
S194	0	(query\$3) same (chassis) near5 component same (properl\$5 characteristic parameter) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:50
S193	1	(monitor\$3) same (chassis) near5 component same (properl\$5 characteristic parameter) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:49
S192	1	(poll\$3) same (chassis) near5 component same (properl\$5 characteristic parameter) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:49
S191	1	(individual) same (chassis) near5 component same (properl\$5 characteristic parameter) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:48

S190	0	(poll\$3) same (individual) same (chassis) same (property\$5 characteristic parameter) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:48
S189	0	(monitor\$3) same (individual) same (chassis) same (property\$5 characteristic parameter) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:48
S188	0	(query\$3) same (individual) same (chassis) same (property\$5 characteristic parameter) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:48
S187	0	(query\$3) same (individual) same (chassis) near5 component same (property\$5 characteristic parameter) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:48
S186	0	(poll\$3) same (individual) same (chassis) near5 component same (property\$5 characteristic parameter) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:47

S185	0	(monitor\$3) same (individual) same (chassis) near5 component same (proport\$5 characteristic parameter) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:47
S184	141	(monitor\$3) same (individual) same (node hardware firmware component) same (proport\$5 characteristic) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:27
S183	234	(monitor\$3) same (individual) same (node hardware firmware power cpu component) same (proport\$5 characteristic) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:26
S182	2	(query\$3) same (individual) same component same (proport\$5 characteristic) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 13:20
S181	1	(query\$3) same (individual) same hardware same (proport\$5 characteristic) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 13:17

S180	20	hardware same (parameter) same (various different plural\$3) near3 (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 11:23
S179	1	(poll\$3) same hardware same (parameter) same (various different plural\$3) near3 (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 11:21
S178	0	(poll\$3) same hardware same (characteristic) same (various different plural\$3) near3 (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 11:20
S177	1	"7043659".pn. and S176	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 11:18
S176	16	(poll\$3) same hardware same (characteristic) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 11:07

S175	2	(poll\$3) near4 hardware same (characteristic) same (interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 11:03
S174	4	10/334577	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:03
S173	0	10/334/577	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:03
S172	83	DNS adj relay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 16:03
S171	2	"6324585".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 11:22

S169	2	"5845091".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 11:21
S170	2	"6968389".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 11:07
S162	2	"5999179".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 11:04
S168	178	(monitor\$5 manag\$5 obtain\$5) same (network) and S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:30
S154	897	(monitor\$5 manag\$5 obtain\$5) same (network) same (device) same hardware same (configuration characteristic status) and GUI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:30

S167	265	hierarchical same tree and tabular same display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:20
S166	14	hierarchical same tree same window same tabular same display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:20
S165	11	hierarchical same tree same right same left and tabular same display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:18
S164	1	hierarchical same tree same right same left same tabular same display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:13
S163	29	hierarchical same tree same tabular same display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 16:11

S161	54	(monitor\$5 manag\$5 obtain\$5) same chassis same (hardware) same view	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:58
S160	43	chassis same (graphical near8 view)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:55
S159	0	chasis same (graphical near8 view)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:50
S158	51	(network) same hardware same (graphical near8 view)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:49
S157	203	(monitor\$5 manag\$5 obtain\$5) same (network) same (device) same hardware same (configuration characteristic status) and GUI and display near5 window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:41

S156	2	(chassis near4 temperature) same (CPU near4 (load usage)) same (fan) same (interface line near4 (module card)) same (power near3 supply)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:08
S155	2	(chassis near4 temperature) same (CPU near4 (load usage)) same (fan) same (interface line near4 (module card)) same (power near3 supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:08
S119	0	(MIB) same(memory) same (chassis near4 temperature) same (CPU near4 (load usage)) same (fan) same (interface line near4 (module card)) same (power near3 supply near4 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 15:08
S153	3	08/972091	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:01
S152	1	10/389507	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:01

S149	2	"5999179".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 06:28
S151	1	10/759704	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:45
S150	1	(monitor\$5 manag\$5 obtain\$5) and (memory) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:45
S146	1	(monitor\$5 manag\$5 obtain\$5) same (memory) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:44
S148	1	10/759443	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:42

S147	2	"6968363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:40
S131	0	(monitor\$5 manag\$5 obtain\$5) with (memory) with (temperature) with CPU with (fan) with (card slot) with (supply) and (MLB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:36
S145	20	(hardware software) near5 (characteristic) same (dynamic\$7) near5 (display\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:32
S144	0	(Rack cabinet) and (shelf slot) and (hardware software) near5 (characteristic) same (dynamic \$7) near5 (display\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:32
S143	2	10/428874	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:31

S130	1	(memory) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:29
S137	284	(OID) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:28
S136	1	"707"/\$.ccls. and (memory) and (temperature) and CPU and (fan near4 speed) and (card slot) and (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:28
S135	0	"707"/\$.ccls. and (memory) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:10
S134	1	"707"/\$.ccls. and (monitor\$5 manag\$5 obtain\$5) same (network) same (device) same (hardware near4 (configuration characteristic status)) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:10

S133	6	"709"/\$.ccls. and (monitor\$5 manag\$5 obtain\$5) same (network) same (device) same (hardware near4 (configuration characteristic status)) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:10
S129	1	(monitor\$5 manag\$5 obtain\$5) same (memory) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:10
S125	11	(monitor\$5 manag\$5 obtain\$5) same (network) same (device) same (hardware near4 (configuration characteristic status)) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:58
S132	2	09/860995	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:45
S128	0	(monitor\$5 manag\$5 obtain\$5) same (memory near4 (usage availability)) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:27

S126	0	(monitor\$5 manag\$5 obtain\$5) same (network) same (memory near4 (usage availability)) same (temperature) same CPU same (fan) same (card slot) same (supply) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:23
S127	3	10/057563	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:22
S124	1	10/848897 and thompson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:43
S123	2	"6642946".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:42
S122	31	"709"/\$.cols. and (monitor\$5 manag\$5 obtain\$5) near5 (network)near5(device) near5 (configuration characteristic status) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 14:14

S116	58	(monitor\$5 manag\$5 obtain\$5) near5 (network) near5(device) near5 (configuration characteristic status) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 13:27
S121	1	(MIB) same(memory) same (chassis near4 temperature) same (CPU) same (fan) same ((module card)) same (power near4 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:35
S120	1	(MIB) same(memory) same (chassis near4 temperature) same (CPU) same (fan) same ((module card)) same (power near3 supply near4 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:35
S118	0	(MIB) same(memory near4 (load usage availability)) same (chassis near4 temperature) same (CPU near4 (load usage)) same (fan) same (interface line near4 (module card)) same (power near3 supply near4 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:34
S117	0	(MIB) same (block parameter) same(memory near4 (load usage availability)) same (chassis near4 temperature) same (CPU near4 (load usage)) same (fan) same (interface line near4 (module card)) same (power near3 supply near4 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:34

S115	7	(monitor\$5 manag\$5 obtain\$5)same(location) same (based specific) same (network)same (device) same (configuration characteristic status) same (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 10:42
S113	34	(henry near3 fung)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 10:34
S114	2	"6697963".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 10:31
S112	16	(henry near3 fang)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:15
S111	308	(henry and fang)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:14

S110	28	709/226.ocls. and (allocat\$5 assign\$5 manag\$5) near5 (resourc\$5) and (server adj3 farm) and (load near4 balanc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:13
S109	202	(allocat\$5 assign\$5 manag\$5) near5 (resourc\$5) and (server adj3 farm) and (load near4 balanc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:35
S108	25	(allocat\$5 assign\$5 manag\$5) near5 (resourc\$5) and (server adj3 farm) and (policy near4 engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:34
S107	24	(load near5 balancing near5 policy) and (server adj3 farm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:29
S105	14	(load near5 balancing near5 policy) and (policy near4 engine) and ((data adj structure) (MIB))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:08
S92	14	(load near5 balancing near5 policy) and (policy near4 engine) and ((data adj structure) (MIB))	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:07
S104	13	(brendal)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:01

S103	0	(brendal) AND (SERVER ADJ3 FARM)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:00
S102	0	(brendal) and (LAL.XP.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:00
S101	0	(brendal) and (LAL.AP.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:00
S100	0	(brendal) and (Barot.AP.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:00
S99	0	(brendal) and (Barot.XP.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 10:00
S98	22	(content near4 based) adj3 (load near5 balanc\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:59
S96	4	(content near4 based) near5 (load near5 balanc \$5) and (policy near4 engine)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:43
S97	1	"6728748".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:42
S87	27	(determin\$5 select\$5 manag\$5 controlling) near10 (Server near5 resource)and (load near5 balancing near5 policy)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:42
S95	3	(content near4 based) near5 (load near5 balanc \$5) and (policy near4 engine) and ((data adj structure) (MIB))	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:41
S93	257	(policy near4 engine) and ((data adj structure) (MIB))	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 09:39
S94	69	(policy near4 engine) and ((data adj structure) (MIB)) and (service near5 (category class))	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 08:14
S91	7	("5893905" "5951694" "6279001" "6330602" "6411936" "6424992" "6453468").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 07:45

S90	2	"6728748".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 07:40
S89	3	((content-enabled) (content-independent)) near5 (service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 07:40
S88	75	((content-enabled) (content-independent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 17:03
S71	2	(finite adj state adj machine) and ((content- enabled) (content-independent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 17:03
S86	4	(determin\$5 select\$5 manag\$5 controlling) near10 (Server near5 resource) same (load near5 balancing near5 policy)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:45
S82	0	(determin\$5 select\$5 manag\$5 controlling) near10 (Server near5 resource) same (load near5 balancing near5 plocy)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:40
S81	3	(hierarchical near5 (arrangement fashion array) near5 Server near5 resource)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:38

S80	0	(hierarchical near5 (arrangement fashion array) near5 Server near5 resources) and (server near4 (history propt\$5))	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:30
S79	3	(hierarchical near5 Server near5 resources) and (server near4 (history propt\$5))	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:28
S78	0	(hierarchical near5 Server near5 resources) and (loading near3 information) and (loading near4 policy) and (schemul\$5 near5 policy) and (server near4 (history propt\$5))	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:28
S77	10	("20030115337" "20030140124" "5948069" "6018516" "6044468" "6091733" "6195703" "6247060" "6298280" "6629195").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 16:22
S76	1	(PE near3 CAM) near3 BSI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:38
S75	0	(PE near3 CAM) near3 entry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:38
S74	1271	(PE near3 CAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:38

S73	56	("L4" and "L5" and "L6" and "L6") near5 (request connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:37
S72	158	(finite adj state adj machine) and (load near3 (balanc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:30
S70	6630	(finite adj state adj machine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:50

4/ 22/ 2008 8:58:30 AM

C:\Documents and Settings\apatel3\My Documents\EAST\Workspaces\10759704.wsp